



LED Corn Light

Features

- Heavy Duty die cast aluminum housing with anti corrosion texture architectural baked polyester powder coating
- Tempered and impact resistant clear prismatic borosilicate glass
- Aluminum extruded heat sink designed to facilitate heat dissipation to reduce LED junction temperature for maintaining lighting output and life span of the LED




Applications

- Perfect for outdoor, security, community, school and institution.

Technical Specifications

Part No.	Wattage (W)	Voltage	Luminous (lm)	PF	CRI (Ra)	CCT (K)	Beam angle	Working Temperature (°C)
DS-WALLPACK30	30	120-277V	2550	0.9	>70	4000K/5000K	140°	-25° ~ 54°
DS-WALLPACK45	45	120-277V	4900	0.9	>70	4000K/5000K	140°	-25° ~ 54°
DS-WALLPACK60	60	120-277V	6827	0.9	>70	4000K/5000K	140°	-25° ~ 54°
DS-WALLPACK75	75	120-277V	8372	0.9	>70	4000K/5000K	140°	-25° ~ 54°
DS-WALLPACK90	90	120-277V	10566	0.9	>70	4000K/5000K	140°	-25° ~ 54°
DS-WALLPACK120	120	120-277V	14271	0.9	>70	4000K/5000K	140°	-25° ~ 54°



✦ It can be available for wide voltage

www.edisunlighting.com

