

# LED mosquito bulb



## Features


- LED UV lamp safe radiation + physical dry Anti-mosquito non-toxic and tasteless, no stimulation of the human body, for the body pregnancy Health, check the health.
- exquisite appearance, soft lighting, night light can be used, while lighting, get rid of mosquitoes and flies
- easy to disassemble, easy to install, suitable for a variety of interfaces

## Applications

- indoor / yard park / outdoor bar / restaurant / farm

## Technical Specifications

Part No.	Wattage (W)	Luminous (lm)	PF	Beam angle	CCT (K)	EMC/FCC	Flicker free	Socket
DS-A60-9W(PC Cover)	9	720	>0.5	220°	Yellow	Y	Y	E27/E26/B22
DS-A60-9W(glass)	9	720	>0.5	220°	Yellow	Y	Y	E27/E26/B22
DS-A60-12W(PC Cover)	12	1000	>0.5	220°	Yellow	Y	Y	E27/E26/B22
DS-A60-9W(PC Cover)	9	720	>0.5	220°	Yellow 3000/4000/6500	Y	Y	E27/E26/B22
DS-A60-12W(PC Cover)	12	1000	>0.5	220°	Yellow 3000/4000/6500	Y	Y	E27/E26/B22



\* It can be available for low voltage

www.edisunlighting.com



# LED CAMPING LIGHT



## Features



- Portability with hook
- 2 grades of brightness
- Mini size
- Keep lighting for 4~6hrs

## Applications

- Camping, bedroom, living room, office or else

## Technical Specifications

Part No.	Lamp holder	Battery capacity	Emergency Time	Luminance (Lm)	Beam angle	CCT (K)	Charging voltage
DS-ER100-5W	Pothead/Magnet	2000mAh	4-6h	350lm	120°	Yellow/3000/4000/6500	DC 5V 1A/2A
DS-ER100-5W	Pothead/Magnet	6000mAh	12-15h	350lm	120°	Yellow/3000/4000/6500	DC 5V 1A/2A



\* It can be available for low voltage

www.edisunlighting.com





# LED Emergency Bulb



## Features



- Portability with hook
- 2 color of brightness
- Keep lighting for 4~6 hrs

## Applications

- factory, bedroom, living room, store, stall or else

## Technical Specifications

Part No.	Lamp holder	Battery capacity	Emergency Time	Luminance (Lm)	Beam angle	CCT (K)	Charging voltage
DS-ER80-5W	Pothook	2000mAH	4-6h	350lm	120°	Yellow	DC 5V 1A/2A





# LED emergency bulb



## Features




- AC 100-240V power support
- 18650 Lithium battery inside
- After power cut down, the lamp is in emergency status with DC power supply
- lighting time is about 4-6hrs after a full charge

## Applications

- indoor / yard park / outdoor bar / restaurant / farm

## Technical Specifications

Part No.	Real power	Voltage	PF	Luminous (AC)	Luminous (DC)	Battery capacity	Emergency time
EA60-9W	7.5-8W	100-265V	0.9	700lm	250lm	1800mAH	3H
EA60-9W	7.5-8W	100-265V	0.9	700lm	250lm	2000mAH	4H
EA80-13W	10.5-11W	100-265V	0.9	1080lm	530lm	2600mAH	2.5H



\* It can be available for low voltage

[www.edisunlighting.com](http://www.edisunlighting.com)



# CR night light



## Features




- USB rechargeable
- There're 7 kinds of light color can be adjusted.
- The shape is cute and the materials is soft. It can be used as a night light to lighten your room, also a great ornament for your table.
- Press the switch,the light turn on to yellow color; 1-6 times patting change the light to different colors; One more patting turn off the light.

## Applications

- babyroom, bedroom, living room, bathroom or else

## Technical Specifications

Part No.	Wattage (W)	Voltage	Power support	Start	material	LED color available
DS-M167-0.4W	0.4	DC 5V 500mA	battery	button and patting	silicone + ABS	yellow,red,dark green,purple,light green,rose red,blue,cinerous
DS-M168-0.4W	0.4	DC 5V 500mA	battery	button and patting	silicone + ABS	yellow,red,dark green,purple,light green,rose red,blue,cinerous



\* It can be available for wide voltage

www.edisunlighting.com



# YOYO table lamp



## Features



- Soft lighting, comfortable for eyes
- 3 style in 1 lamp
- 3 grades of brightness
- Touch on/off
- There's a charging indication light
- There's a special tray for sundries
- USB charger

## Applications

- babyroom, bedroom, living room, bathroom or else

## Technical Specifications

Part No.	Wattage (W)	Voltage	Battery Capacity	Lumen	material	Lamp size
DS-YYTL-2W	2W	DC 5V 500mA	1200mAh	200lm	ABS+Metal	11cm*22cm*4.3cm



\* It can be available for wide voltage

[www.edisunlighting.com](http://www.edisunlighting.com)





# LED sensor night light



## Features




- Dusk to dawn design
- Auto on/off by the light sensor inside the lamp
- Low power consumption
- Long lifetime
- Colorful LED for choice

## Applications

- babyroom, bedroom, living room, bathroom or else

## Technical Specifications

Part No.	Wattage (W)	Voltage	Power support	Start	Materials	LED colors available
DS-NL-0.5W(Cube)	0.5	100-127V/200-240V	plug-in electric	light sensor	PC	red, blue, green, yellow, white
DS-NL-0.5W(Fancy)	0.5	100-127V/200-240V	plug-in electric	light sensor	PC	red, blue, green, yellow, white



\* It can be available for wide voltage

[www.edisunlighting.com](http://www.edisunlighting.com)





# LED skyeye night light



## Features




- Dusk to dawn design
- Auto on/off by the light sensor inside the lamp
- Low power consumption
- Long lifetime
- Colorful LED for choice

## Applications

- babyroom, bedroom, living room, bathroom or else

## Technical Specifications

Part No.	Wattage (W)	Voltage	Power support	Lumen	Dimension	LED colors available
DS-NL-0.5W(skyeye)	0.5	100-127V/200-240V	plug-in electric	3~5lm	74x55x6 l mm	red, blue, green, yellow, white, RGB



\* It can be available for wide voltage

[www.edisunlighting.com](http://www.edisunlighting.com)





# Touch table lamp



## Features



- Linear Dimmable
- Auto off with timer
- Touch switch
- USB charger port
- Power supply by USB cable connection (laptop adaptor or power bank)

## Applications

- babyroom, bedroom, living room, table or else

## Technical Specifications

Part No.	Wattage (W)	Voltage	Power support	Start	CCT(K)	CRI(Ra)	Materials
Touch tabel lamp	2	DC 5V 1A	USB cable	touch switch	3000K/6500K	80	PC



\* It can be available for wide voltage

[www.edisunlighting.com](http://www.edisunlighting.com)

