



LED GARDEN LIGHT

PRODUCT FEATURES

- Suitable for Park, Garden, Hotel, Wall or else
- Simple and elegant design for best decoration
- Eco-Friendly. No lead or mercury. No Hazardous Emissions. No UV or IR Radiation.



**LED GARDEN LIGHT
2W**

Product code 1957A WU IP Rating IP44
 Battery 3.7V 1.2Ah Sensor 8M±2M
 Beam Angle 110° Body Color Silvery
 Dimension 142x125x192 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



**LED GARDEN LIGHT
2W**

Product code 1957A WU-BK IP Rating IP44
 Battery 3.7V 1.2Ah Sensor 8M±2M
 Beam Angle 110° Body Color Black
 Dimension 142x125x192 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



**LED GARDEN LIGHT
2W**

Product code 1957PSH0.5 IP Rating IP44
 Battery 3.7V 1.2Ah Sensor 8M±2M
 Beam Angle 110° Body Color Silvery
 Dimension 125x125x500 mm Material Stainless Steel+PC


White Light 6000K
 Neutral White 4200K
 Warm White 3000K



**LED GARDEN LIGHT
2W**

Product code 1957PSH0.5+SPIKE IP Rating IP44
 Battery 3.7V 1.2Ah Sensor 8M±2M
 Beam Angle 110° Body Color Black/Silvery
 Dimension 125x125x500+160 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



**LED GARDEN LIGHT
2W**

Product code 1957PSH0.5-BK IP Rating IP44
 Battery 3.7V 1.2Ah Sensor 8M±2M
 Beam Angle 110° Body Color Black
 Dimension 125x125x500 mm Material Stainless Steel+PC


White Light 6000K
 Neutral White 4200K
 Warm White 3000K



**LED GARDEN LIGHT
2W**

Product code 1957PSH0.8-BK IP Rating IP44
 Battery 3.7V 1.2Ah Sensor 8M±2M
 Beam Angle 110° Body Color Black/Silvery
 Dimension 125x125x800 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K






LED GARDEN LIGHT
0.6W

Product code 1958A WU IP Rating IP54
 Battery 3.7V 1.8Ah Beam Angle 110°
 Flux 60Lm Body Color Black
 Dimension 210x200x146 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
0.45W

Product code 1956 IP Rating IP54
 Battery 3.7V 1.8Ah Beam Angle 110°
 Flux 55Lm Body Color Black
 Dimension 80x80x200+160 mm Material Stainless Steel+Glass

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
0.45W

Product code 1956-1 IP Rating IP54
 Battery 3.7V 1.8Ah Beam Angle 110°
 Flux 55Lm Body Color Black
 Dimension 89x89x200+160 mm Material Stainless Steel+Glass

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
0.6W

Product code 1958PSH0.5 IP Rating IP54
 Battery 3.7V 1.8Ah Beam Angle 110°
 Flux 60Lm Body Color Black
 Dimension 200x200x500 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
0.6W

Product code 1958PSH0.8 IP Rating IP54
 Battery 3.7V 1.8Ah Beam Angle 110°
 Flux 60Lm Body Color Black
 Dimension 200x200x800 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K





LED GARDEN LIGHT
4.4W

Product code 1960A WU
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 173x160x159 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1960A WU-BK
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 173x160x159 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1960PSH0.5
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 160x160x500 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1960PSH0.5-BK
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 160x160x500 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K





LED GARDEN LIGHT
4.4W

Product code 1960PSH0.5-BK+SPIKE
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 160x160x500+160 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




LED GARDEN LIGHT
4.4W

Product code 1960PSH0.8
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 160x160x800 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K





LED GARDEN LIGHT
4.4W

Product code 1960A WU-1 IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Silvery
 Dimension 173x160x159 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1960A WU-1BK IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Black
 Dimension 173x160x159 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1957PSH0.5-1 IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Silvery
 Dimension 160x160x500 mm Material Stainless Steel+PC


White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1957PSH0.5-1BK+SPIKE IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Black
 Dimension 160x150x500+160 mm Material Stainless Steel+PC


White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1957PSH0.5-1BK IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Black
 Dimension 160x160x500 mm Material Stainless Steel+PC


White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1957PSH0.8-1BK IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Black
 Dimension 160x160x800 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K





LED GARDEN LIGHT
4.4W

Product code 1974
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 180x150x41 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




LED GARDEN LIGHT
4.4W

Product code 1974PSH0.5
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 192x150x500 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1974PSH0.8
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 192x150x800 mm



IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1962
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 208x80x200 mm




IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1961
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 200x63x200 mm



IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K






LED GARDEN LIGHT
4.4W

Product code 1964A WU
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 163x150x159 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




LED GARDEN LIGHT
4.4W

Product code 1964PSH0.5+SPIKE
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 150x150x500+160 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1964A WU-BK
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 163x150x159 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




LED GARDEN LIGHT
4.4W

Product code 1964PSH0.5-BK+SPIKE
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 150x150x500+160 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1964PSH0.5
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 150x150x500 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




LED GARDEN LIGHT
4.4W

Product code 1964PSH0.8
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 150x150x800 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1964PSH0.5-BK
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 150x150x500 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




LED GARDEN LIGHT
4.4W

Product code 1964PSH0.8-BK
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 150x150x800 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K





LED GARDEN LIGHT
4.4W


Product code 1966
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 190x125x80 mm

IP Rating IP44
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC
 White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
1W

Product code 1975
 Battery 3.7V 2.2Ah
 Flux 110Lm
 Dimension 208x80x200 mm



IP Rating IP54
 Beam Angle 110°
 Body Color Black
 Material Aluminum+PC



White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W


Product code 1966PSH0.5
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 188x134x500 mm

IP Rating IP44
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC
 White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
1W

Product code 1977
 Battery 3.7V 2.2Ah
 Flux 110Lm
 Dimension 208x80x200 mm



IP Rating IP54
 Beam Angle 110°
 Body Color Black
 Material Aluminum+PC



White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W


Product code 1966PSH0.8
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 188x134x800 mm

IP Rating IP44
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC
 White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
1W

Product code 1976
 Battery 3.7V 2.2Ah
 Flux 110Lm
 Dimension 200x63x200 mm



IP Rating IP54
 Beam Angle 110°
 Body Color Black
 Material Aluminum+PC



White Light 6000K
 Neutral White 4200K
 Warm White 3000K






LED GARDEN LIGHT
4.4W

Product code 1967A WU IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Silvery
 Dimension 175x160x239 mm Material Stainless Steel+PC


White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1967PSH0.5+SPIKE IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Silvery
 Dimension 160x160x500+160 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1967A WU-BK IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Black
 Dimension 175x160x239 mm Material Stainless Steel+PC


White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1967PSH0.8-BK IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Black
 Dimension 160x160x800 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1967PSH0.5 IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Silvery
 Dimension 160x160x500 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1967PSH0.5-BK IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Black
 Dimension 160x160x500 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K






LED GARDEN LIGHT
4.4W

Product code 1968A WU IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Silvery
 Dimension 175x160x254 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1968A WU-BK IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Black
 Dimension 175x160x254 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1968PSH0.5 IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Silvery
 Dimension 160x160x500 mm Material Stainless Steel+PC


White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1968PSH0.5+SPIKE IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Silvery
 Dimension 160x160x500+160 mm Material Stainless Steel+PC


White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1968PSH0.5-BK IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Black
 Dimension 160x160x500 mm Material Stainless Steel+PC


White Light 6000K
 Neutral White 4200K
 Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1968PSH0.8-BK IP Rating IP44
 Battery 3.7V 2.2Ah Sensor 10M±2M
 Beam Angle 110° Body Color Black
 Dimension 160x160x800 mm Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K






LED GARDEN LIGHT
4.4W+0.6W

Product code 1970A WU
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 175x160x259mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




LED GARDEN LIGHT
4.4W+0.6W

Product code 1970A WU-BK
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 175x160x259 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




LED GARDEN LIGHT
4.4W+0.6W

Product code 1970PSH0.5
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 160x160x500 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




LED GARDEN LIGHT
4.4W+0.6W

Product code 1970PSH0.5-BK
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 160x160x500 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




LED GARDEN LIGHT
4.4W+0.6W

Product code 1970PSH0.5+SPIKE
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 160x160x500+160 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




LED GARDEN LIGHT
4.4W+0.6W

Product code 1970PSH0.5-BK+SPIKE
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 160x160x500+160 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




LED GARDEN LIGHT
4.4W+0.6W

Product code 1970PSH0.8
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 160x160x800 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




LED GARDEN LIGHT
4.4W+0.6W

Product code 1970PSH0.8-BK
 Battery 3.7V 2.2Ah
 Beam Angle 110°
 Dimension 160x160x800 mm

IP Rating IP44
 Sensor 10M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K






**LED GARDEN LIGHT
4.4W**

Product code 1972 DN
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 165x150x270mm

IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




**LED GARDEN LIGHT
4.4W**

Product code 1972PSH0.5
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 160x160x500+160 mm

IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



**LED GARDEN LIGHT
4.4W**

Product code 1973 DN
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 165x150x270mm

IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K





**LED GARDEN LIGHT
4.4W**

Product code 1973PSH0.5
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 160x160x500+160 mm

IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




**LED GARDEN LIGHT
4.4W**

Product code 1972PSH0.8
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 160x160x800 mm

IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




**LED GARDEN LIGHT
4.4W**

Product code 1973PSH0.8
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 160x160x800 mm

IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K






LED GARDEN LIGHT
4.4W

Product code 1950 DN
Battery 3.7V 2.2Ah
Beam Angle 100°
Dimension 187x160x90mm


IP Rating IP54
Sensor 8M±2M
Body Color Black
Material Aluminum+PC
White Light 6000K
Neutral White 4200K
Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1951 DN
Battery 3.7V 2.2Ah
Beam Angle 100°
Dimension 177x150x90mm

White Light 6000K
Neutral White 4200K
Warm White 3000K




IP Rating IP54
Sensor 8M±2M
Body Color Black
Material Aluminum+PC



LED GARDEN LIGHT
4.4W

Product code 1950PSH0.5
Battery 3.7V 2.2Ah
Beam Angle 100°
Dimension 202x160x500 mm


IP Rating IP54
Sensor 8M±2M
Body Color Black
Material Aluminum+PC
White Light 6000K
Neutral White 4200K
Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1951PSH0.5
Battery 3.7V 2.2Ah
Beam Angle 100°
Dimension 202x160x500 mm

White Light 6000K
Neutral White 4200K
Warm White 3000K




IP Rating IP54
Sensor 8M±2M
Body Color Black
Material Aluminum+PC



LED GARDEN LIGHT
4.4W

Product code 1950PSH0.8
Battery 3.7V 2.2Ah
Beam Angle 100°
Dimension 202x160x800 mm


IP Rating IP54
Sensor 8M±2M
Body Color Black
Material Aluminum+PC
White Light 6000K
Neutral White 4200K
Warm White 3000K



LED GARDEN LIGHT
4.4W

Product code 1951PSH0.8
Battery 3.7V 2.2Ah
Beam Angle 100°
Dimension 202x160x800 mm

White Light 6000K
Neutral White 4200K
Warm White 3000K



IP Rating IP54
Sensor 8M±2M
Body Color Black
Material Aluminum+PC




**LED GARDEN LIGHT
4.4W**

Product code 1952PSH0.2
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 200x60x200mm

IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




**LED GARDEN LIGHT
2W**



Product code 1953H240
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 150x150x240mm

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



IP Rating IP44
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC




**LED GARDEN LIGHT
4.4W**

Product code 1952PSH0.5
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 200x60x500mm

IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




**LED GARDEN LIGHT
2W**



Product code 1953H340
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 150x150x340mm

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



IP Rating IP44
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC




**LED GARDEN LIGHT
4.4W**

Product code 1952PSH0.8
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 200x60x800mm

IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




**LED GARDEN LIGHT
2W**



Product code 1953H440
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 150x150x440mm

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



IP Rating IP44
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC




**LED GARDEN LIGHT
2W**



Product code 1953-1
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 150x150x240-440mm

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



IP Rating IP44
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC




**LED GARDEN LIGHT
2W**

Product code 1954A WU
 Battery 3.7V 1.2Ah
 Beam Angle 110°
 Dimension 147x125x146mm

IP Rating IP44
 Sensor 8M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




**LED GARDEN LIGHT
2W**

Product code 1954A WU-BK
 Battery 3.7V 1.2Ah
 Beam Angle 110°
 Dimension 147x125x146mm

IP Rating IP44
 Sensor 8M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



**LED GARDEN LIGHT
2W**

Product code 1954PSH0.5
 Battery 3.7V 1.2Ah
 Beam Angle 110°
 Dimension 125x125x500 mm

IP Rating IP44
 Sensor 8M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



**LED GARDEN LIGHT
2W**

Product code 1954PSH0.5-BK
 Battery 3.7V 1.2Ah
 Beam Angle 110°
 Dimension 125x125x500 mm

IP Rating IP44
 Sensor 8M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




**LED GARDEN LIGHT
2W**

Product code 1954PSH0.5+SPIKE
 Battery 3.7V 1.2Ah
 Beam Angle 110°
 Dimension 125x125x500+160 mm

IP Rating IP44
 Sensor 8M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




**LED GARDEN LIGHT
2W**

Product code 1954PSH0.5-BK+SPIKE
 Battery 3.7V 1.2Ah
 Beam Angle 110°
 Dimension 125x125x500+160 mm

IP Rating IP44
 Sensor 8M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




**LED GARDEN LIGHT
2W**

Product code 1954PSH0.8
 Battery 3.7V 1.2Ah
 Beam Angle 110°
 Dimension 125x125x800 mm

IP Rating IP44
 Sensor 8M±2M
 Body Color Silvery
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




**LED GARDEN LIGHT
2W**

Product code 1954PSH0.8-BK
 Battery 3.7V 1.2Ah
 Beam Angle 110°
 Dimension 125x125x800 mm

IP Rating IP44
 Sensor 8M±2M
 Body Color Black
 Material Stainless Steel+PC

White Light 6000K
 Neutral White 4200K
 Warm White 3000K






**LED GARDEN LIGHT
4.4W**

Product code 1978PSH0.3
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 160x160x300 mm

IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC


White Light 6000K
 Neutral White 4200K
 Warm White 3000K



**LED GARDEN LIGHT
4.4W**

Product code 1979 DN
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 200x160x270 mm

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC



**LED GARDEN LIGHT
4.4W**

Product code 1978 DN
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 200x160x270 mm

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC




**LED GARDEN LIGHT
4.4W**

Product code 1978PSH0.5
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 160x160x500 mm

White Light 6000K
 Neutral White 4200K
 Warm White 3000K




IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC



**LED GARDEN LIGHT
4.4W**

Product code 1978PSH0.8
 Battery 3.7V 2.2Ah
 Beam Angle 100°
 Dimension 160x160x800 mm

White Light 6000K
 Neutral White 4200K
 Warm White 3000K



IP Rating IP54
 Sensor 8M±2M
 Body Color Black
 Material Aluminum+PC



**LED GARDEN LIGHT
5-30W**



Product code	881F	IP Rating	IP65	White Light	6000K
Watts	5-30W	CRI	≥ 70/80	Neutral White	4200K
Voltage	AC85-265V	Body Color	White/Grey/Black	Warm White	3000K
Dimension	162x57mm H200/400/600/800	Material	Die-cast Aluminum	Red / Green / Blue / RGB	



**LED GARDEN LIGHT
5-30W**



Product code	9020B	IP Rating	IP65	White Light	6000K
Watts	5-30W	CRI	≥ 70/80	Neutral White	4200K
Voltage	AC85-265V	Body Color	White/Grey/Black	Warm White	3000K
Dimension	Φ90/Φ120/Φ150 H200/400/600/800	Material	Die-cast Aluminum	Red / Green / Blue / RGB	



**LED GARDEN LIGHT
5-30W**



Product code	881Y	IP Rating	IP65	White Light	6000K
Watts	5-30W	CRI	≥ 70/80	Neutral White	4200K
Voltage	AC85-265V	Body Color	White/Grey/Black	Warm White	3000K
Dimension	162x57mm H200/400/600/800	Material	Die-cast Aluminum	Red / Green / Blue / RGB	



**LED GARDEN LIGHT
5-30W**



Product code	9020A	IP Rating	IP65	White Light	6000K
Watts	5-30W	CRI	≥ 70/80	Neutral White	4200K
Voltage	AC85-265V	Body Color	White/Grey/Black	Warm White	3000K
Dimension	Φ90/Φ110/Φ120/Φ150 H200/400/600/800	Material	Die-cast Aluminum	Red / Green / Blue / RGB	



**LED GARDEN LIGHT
5-30W**



Product code	888	IP Rating	IP65	White Light	6000K
Watts	5-30W	CRI	≥ 70/80	Neutral White	4200K
Voltage	AC85-265V	Body Color	White/Grey/Black	Warm White	3000K
Dimension	162x57mm H200/400/600/800	Material	Die-cast Aluminum	Red / Green / Blue / RGB	



**LED GARDEN LIGHT
5-30W**



Product code	126	IP Rating	IP65	White Light	6000K
Watts	5-30W	CRI	≥ 70/80	Neutral White	4200K
Voltage	AC85-265V	Body Color	White/Grey/Black	Warm White	3000K
Dimension	H600/800mm	Material	Die-cast Aluminum	Red / Green / Blue / RGB	



**LED GARDEN LIGHT
5-30W**



Product code	120	IP Rating	IP65	White Light	6000K
Watts	5-30W	CRI	≥ 70/80	Neutral White	4200K
Voltage	AC85-265V	Body Color	White/Grey/Black	Warm White	3000K
Dimension	H600mm	Material	Die-cast Aluminum	Red / Green / Blue	




LED GARDEN LIGHT
4.5W solar panel

Product code 3004
Watts 4.5W
Voltage ≤36V
Dimension H300/600/800mm

White Light 6000K
Neutral White 4200K
Warm White 3000K

IP Rating IP65
Beam area 3 m²-5 m²
Body Color Black/Grey
Material Aluminum+PC




LED GARDEN LIGHT
3W solar panel

Product code 4805
Watts 3W
Voltage ≤36V
Dimension H600mm

White Light 6000K
Neutral White 4200K
Warm White 3000K

IP Rating IP65
Beam area 3 m²-5 m²
Body Color Black/Grey
Material Aluminum+PC



LED GARDEN LIGHT
4.5W solar panel

Product code 5004
Watts 4.5W
Voltage ≤36V
Dimension H400/600/800mm

White Light 6000K
Neutral White 4200K
Warm White 3000K

IP Rating IP65
Beam area 3 m²-5 m²
Body Color Black/Grey
Material Aluminum+PC




LED GARDEN LIGHT
3W solar panel

Product code 4806
Watts 3W
Voltage ≤36V
Dimension H600mm

White Light 6000K
Neutral White 4200K
Warm White 3000K

IP Rating IP65
Beam area 3 m²-5 m²
Body Color Black/Grey
Material Aluminum+PC




LED GARDEN LIGHT
4.5W solar panel

Product code 4104
Watts 4.5W
Voltage ≤36V
Dimension H350/650/850mm

White Light 6000K
Neutral White 4200K
Warm White 3000K

IP Rating IP65
Beam area 3 m²-5 m²
Body Color Black/Grey
Material Aluminum+PC




LED GARDEN LIGHT
3W solar panel

Product code 4807
Watts 3W
Voltage ≤36V
Dimension H600mm

White Light 6000K
Neutral White 4200K
Warm White 3000K

IP Rating IP65
Beam area 3 m²-5 m²
Body Color Black/Grey
Material Aluminum+PC




LED GARDEN LIGHT
4.5W solar panel

Product code 5404
Watts 4.5W
Voltage ≤36V
Dimension H500/600/1750mm

White Light 6000K
Neutral White 4200K
Warm White 3000K

IP Rating IP65
Beam area 3 m²-5 m²
Body Color Black/Grey
Material Aluminum+PC



LED GARDEN LIGHT
3W solar panel

Product code 4804
Watts 3W
Voltage ≤36V
Dimension H450/600/700mm

White Light 6000K
Neutral White 4200K
Warm White 3000K

IP Rating IP65
Beam area 3 m²-5 m²
Body Color Black/Grey
Material Aluminum+PC





LED SOLAR LAMP
0.75W Wall Light



Product code WL2-A6
 Watts 0.75W
 Voltage 5.5V
 Flux 220lm
 Beam Angle 110°
 Battery 1200mAh

CRI Ra>80
 IP Rating IP54
 Material ABS+PC
 Body Color Black
 Dimension 124x95x48mm

Warm White 3000K

CHARGING TIME~(7-8) Hours
 DETECTION RANGE~8±2m



LED SOLAR LAMP
5W spike light



Product code C8205
 Watts 5W
 Beam Angle 45°
 Dimension ø90x370 mm

CRI Ra>80
 IP Rating IP65
 Material Die-cast Aluminium
 Body Color Black/White/Grey

White Light 6000K
 Neutral White 4200K
 Warm White 3000K
 Red / Green / Blue / RGB



LED SOLAR LAMP
1.5W Wall Light



Product code WL5-A6
 Watts 1.5W
 Voltage 7.4V
 Flux 150lm
 Beam Angle 110°
 Battery 1200mAh

CRI Ra>80
 IP Rating IP54
 Material ABS+PC
 Body Color Black
 Dimension 196x115x45mm

Warm White 3000K

CHARGING TIME~(7-8) Hours
 DETECTION RANGE~8±2m



LED SOLAR LAMP
4W spike light




Product code C0710
 Watts 4W
 Beam Angle 36°/45°/60°
 Dimension ø90x370 mm

CRI Ra>80
 IP Rating IP65
 Material Die-cast Aluminium
 Body Color Black/White/Grey

White Light 6000K
 Neutral White 4200K
 Warm White 3000K
 Red / Green / Blue / RGB



LED SOLAR LAMP
5W solar cylindrical lamp



Product code 1066A
 Watts 5W
 Body Color Black/White/Grey

IP Rating IP65
 Material Die-cast Aluminium

White Light 6000K
 Neutral White 4200K
 Warm White 3000K
 Red / Green / Blue / RGB

Dimension
 150x150x180 mm
 200x200x270 mm
 260x260x320 mm
 320x320x400 mm



LED SOLAR LAMP
5W spike light




Product code C8405
 Watts 5W
 Beam Angle 300°
 Dimension ø140x625 mm

CRI Ra>80
 IP Rating IP65
 Material Die-cast Aluminium
 Body Color Black/White/Grey

White Light 6000K
 Neutral White 4200K
 Warm White 3000K
 Red / Green / Blue / RGB



LED SOLAR LAMP
5W solar cylindrical lamp



Product code 1066B
 Watts 5W
 Body Color Black/White/Grey

IP Rating IP65
 Material Die-cast Aluminium

White Light 6000K
 Neutral White 4200K
 Warm White 3000K
 Red / Green / Blue / RGB

Dimension
 150x150x180 mm
 200x200x270 mm
 260x260x320 mm
 320x320x400 mm




LED SOLAR LAMP
5W spike light



Product code C8305
 Watts 5W
 Beam Angle 300°
 Dimension ø120x860 mm

CRI Ra>80
 IP Rating IP65
 Material Die-cast Aluminium
 Body Color Black/White/Grey

White Light 6000K
 Neutral White 4200K
 Warm White 3000K
 Red / Green / Blue / RGB




**LED GARDEN LIGHT
5W/12W**

Product code 1045A/1049A
Watts 5W/12W
Dimension 108x108x65 mm
163x163x130 mm

IP Rating IP65
CRI ≥ 70/80
Body Color White/Grey/Black
Material Die-cast Aluminum

White Light 6000K
Neutral White 4200K
Warm White 3000K
Red / Green / Blue / RGB




**LED GARDEN LIGHT
5W/12W**

Product code 1047A/1051A
Watts 5W/12W
Dimension 108x108x65 mm
160x160x150 mm

IP Rating IP65
CRI ≥ 70/80
Body Color White/Grey/Black
Material Die-cast Aluminum

White Light 6000K
Neutral White 4200K
Warm White 3000K
Red / Green / Blue / RGB




**LED GARDEN LIGHT
5W/12W**

Product code 1044A/1048A
Watts 5W/12W
Dimension 108x108x65 mm
170x170x150 mm

IP Rating IP65
CRI ≥ 70/80
Body Color White/Grey/Black
Material Die-cast Aluminum

White Light 6000K
Neutral White 4200K
Warm White 3000K
Red / Green / Blue / RGB



**LED GARDEN LIGHT
5W/12W**

Product code 1046A/1050A
Watts 5W/12W
Dimension 108x108x65 mm
160x160x150 mm

IP Rating IP65
CRI ≥ 70/80
Body Color White/Grey/Black
Material Die-cast Aluminum

White Light 6000K
Neutral White 4200K
Warm White 3000K
Red / Green / Blue / RGB

