

EDISUN
www.edisunlighting.com

EDISUN



LED Track lights

PRODUCT FEATURES

- Simple and elegant design for best decoration
- Commercial & Residential areas, Hotels, Bars, Showrooms etc.
- Cozy light effect, uniform luminescence, NO dazzling, NO glare
- Multiple beam angle for precise light projection
- Easy installation

NEW




LED Wall washer for Tracks
30W For 3 Phase 4 Line Tracks



Product code LN30-A3
Watts 50W
Input Voltage AC : 200-240V
Flux 2700lm
Beam Angle 24°
CRI Ra>80
IP Rating IP20
Dimension 610x40x90 mm
Body Color BLACK
Dimmable NO

White Light 5000K
Neutral White 4500K
Warm White 3000K




5 Years Warranty



NEW




LED Wall washer for Tracks
40W For 3 Phase 4 Line Tracks



Product code LN40-A4
Watts 50W
Input Voltage AC : 200-240V
Flux 3600lm
Beam Angle 24°
CRI Ra>80
IP Rating IP20
Dimension 905x40x90 mm
Body Color BLACK
Dimmable NO

White Light 5000K
Neutral White 4500K
Warm White 3000K



5 Years Warranty




LED COB Track Light
25W For 3 Phase 4 Line Tracks



Product code FL25-A1
Watts 25W
Input Voltage AC : 220-240V
Flux 2750lm
Beam Angle 24°
CRI Ra>80
IP Rating IP20
Dimension ø80x145x160mm
Body Color WHITE

White Light 5000K
Neutral White 4500K
Warm White 3000K




LED COB Track Light
25W For 3 Phase 4 Line Tracks




Product code FL25-A1
Watts 25W
Input Voltage AC : 220-240V
Flux 2750lm
Beam Angle 24°
CRI Ra>80
IP Rating IP20
Dimension ø80x145x160mm
Body Color BLACK

White Light 5000K
Neutral White 4500K
Warm White 3000K




LED COB Track Light
35W For 3 Phase 4 Line Tracks




Product code WL35-A1
Watts 35W
Input Voltage AC : 220-240V
Flux 3850lm
Beam Angle 24°
CRI Ra>80
IP Rating IP20
Dimension ø90x160x160mm
Body Color WHITE

SKU:5324 White Light 5000K 3800156653245
SKU: 5325 Neutral White 4500K 3800156653252
SKU: 5326 Warm White 3000K 3800156653269




LED COB Track Light
35W For 3 Phase 4 Line Tracks



Product code WL35-A1
Watts 35W
Input Voltage AC : 220-240V
Flux 3850lm
Beam Angle 24°
CRI Ra>80
IP Rating IP20
Dimension ø90x160x160mm
Body Color BLACK

White Light 5000K
Neutral White 4500K
Warm White 3000K



ACCESSORIES FOR TRACK LIGHTS



TRACK SYSTEM - 1M WHITE
SKU: 5153



TRACK SYSTEM - 1M BLACK
SKU: 5154



TRACK SYSTEM - 2M WHITE
SKU: 5156



TRACK SYSTEM - 2M BLACK
SKU: 5155



CONNECTOP ANGLE - WHITE
SKU: 5159



CONNECTOP LINE - BLACK
SKU: 5157



CONNECTOP ANGLE - WHITE
SKU: 5160



CONNECTOP ANGLE - BLACK
SKU: 5158

ACCESSORIES FOR 3-PHASE TRACK LIGHTS



TRACK SYSTEM 3PHASES - 1M WHITE
SKU: 5007



TRACK SYSTEM 3PHASES1M BLACK
SKU: 5009



TRACK SYSTEM 3PHASES - 2M WHITE
SKU: 5008



TRACK SYSTEM 3PHASES2M BLACK
SKU: 5010



STRAIGHT CONNECTOR WHITE
SKU: 5013



MINI STRAIGHT CONNECTOR WHITE
SKU: 5011



T-CONNECTOR WHITE
SKU: 5017



END CAP WHITE
SKU: 5023



STRAIGHT CONNECTOR BLACK
SKU: 5014



MINI STRAIGHT CONNECTOR BLACK
SKU: 5012



T-CONNECTOR BLACK
SKU: 5018



END CAP BLACK
SKU: 5024



L-FEEDER WHITE
SKU: 5019



L-CONNECTOR WHITE
SKU: 5015



X-CONNECTOR WHITE
SKU: 5021



FLEXIBLE CONNECTOR WHITE
SKU: 5025



L-FEEDER BLACK
SKU: 5020



L-CONNECTOR BLACK
SKU: 5016



X-CONNECTOR BLACK
SKU: 5022



FLEXIBLE CONNECTOR BLACK
SKU: 5026






**LED COB Track Light
10W**

Watts 10W
 Input Voltage AC : 200-240V
 Flux 100-110lm/W
 Beam Angle 24°

White Light 5000K
 Neutral White 4500K
 Warm White 3000K



CRI Ra>90
 PF 0.6
 Dimension Φ 60x90mm
 Body Color Matte white/black




**LED COB Track Light
12W**

Watts 12W
 Input Voltage AC : 200-240V
 Flux 100-110lm/W
 Beam Angle 24°

White Light 5000K
 Neutral White 4500K
 Warm White 3000K



CRI Ra>90
 PF 0.9
 Dimension Φ 60x135mm
 Body Color Matte white/black




**LED COB Track Light
20W**

Watts 20W
 Input Voltage AC : 200-240V
 Flux 100-110lm/W
 Beam Angle 24°

White Light 5000K
 Neutral White 4500K
 Warm White 3000K



CRI Ra>90
 PF 0.9
 Dimension Φ 80x110mm
 Body Color Matte white/black




**LED COB Track Light
18W**

Watts 18W
 Input Voltage AC : 200-240V
 Flux 100-110lm/W
 Beam Angle 24°

White Light 5000K
 Neutral White 4500K
 Warm White 3000K



CRI Ra>90
 PF 0.9
 Dimension Φ 70x150mm
 Body Color Matte white/black




**LED COB Track Light
30W**

Watts 30W
 Input Voltage AC : 200-240V
 Flux 100-110lm/W
 Beam Angle 24°

White Light 5000K
 Neutral White 4500K
 Warm White 3000K



CRI Ra>90
 PF 0.9
 Dimension Φ 100x140mm
 Body Color Matte white/black




**LED COB Track Light
25W**

Watts 25W
 Input Voltage AC : 200-240V
 Flux 100-110lm/W
 Beam Angle 24°

White Light 5000K
 Neutral White 4500K
 Warm White 3000K



CRI Ra>90
 PF 0.9
 Dimension Φ 80x160mm
 Body Color Matte white/black






**LED COB Track Light
12W**

Watts 12W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K



CRI Ra>90
PF 0.6
Dimension Φ 93x90mm
Body Color Matte white/black




**LED COB Track Light
10W**

Watts 10W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K



CRI Ra>90
PF 0.6
Dimension Φ 70x90mm
Body Color Matte white/black




**LED COB Track Light
20W**

Watts 20W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K



CRI Ra>90
PF 0.6
Dimension Φ 96x96mm
Body Color Matte white/black




**LED COB Track Light
20W**

Watts 20W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K



CRI Ra>90
PF 0.6
Dimension Φ 82x127mm
Body Color Matte white/black




**LED COB Track Light
30W**

Watts 30W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K



CRI Ra>90
PF 0.6
Dimension Φ 96x117mm
Body Color Matte white/black




**LED COB Track Light
30W**

Watts 30W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K



CRI Ra>90
PF 0.6
Dimension Φ 98x140mm
Body Color Matte white/black






**LED COB Track Light
10W Focusing**

Watts 10W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24°

White Light 5000K
Neutral White 4500K
Warm White 3000K



CRI Ra>90
PF 0.6
Dimension Φ 65x155mm
Body Color Matte white/black




**LED COB Track Light
10W Focusing**

Watts 10W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24°

White Light 5000K
Neutral White 4500K
Warm White 3000K



CRI Ra>90
PF 0.6
Dimension Φ 48x105mm
Body Color Matte white/black




**LED COB Track Light
20W Focusing**

Watts 20W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24°

White Light 5000K
Neutral White 4500K
Warm White 3000K



CRI Ra>90
PF 0.9
Dimension Φ 75x175mm
Body Color Matte white/black




**LED COB Track Light
20W Focusing**

Watts 20W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24°

White Light 5000K
Neutral White 4500K
Warm White 3000K



CRI Ra>90
PF 0.9
Dimension Φ 58x155mm
Body Color Matte white/black




**LED COB Track Light
30W Focusing**

Watts 30W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24°

White Light 5000K
Neutral White 4500K
Warm White 3000K



CRI Ra>90
PF 0.9
Dimension Φ 85x200mm
Body Color Matte white/black




**LED COB Track Light
25W Focusing**

Watts 25W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24°

White Light 5000K
Neutral White 4500K
Warm White 3000K



CRI Ra>90
PF 0.9
Dimension Φ 68x160mm
Body Color Matte white/black






**LED COB Track Light
7W**

Watts 7W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.6
Dimension Φ 60x100mm
Body Color Matte white/black




**LED COB Track Light
10W**

Watts 10W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.6
Dimension Φ 80x171mm
Body Color Matte white/black




**LED COB Track Light
20W**

Watts 20W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.6
Dimension Φ 90x130mm
Body Color Matte white/black




**LED COB Track Light
30W**

Watts 30W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.6
Dimension Φ 90x145mm
Body Color Matte white/black




**LED COB Track Light
10W**

Watts 10W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.6
Dimension Φ 50x100mm
Body Color Matte white/black




**LED COB Track Light
20W**

Watts 20W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.6
Dimension Φ 60x150mm
Body Color Matte white/black




**LED COB Track Light
30W**

Watts 30W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.6
Dimension Φ 80x150mm
Body Color Matte white/black




**LED COB Track Light
35W**

Watts 35W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.6
Dimension Φ 90x155mm
Body Color Matte white/black






**LED COB Track Light
15W**

Watts 15W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.6
Dimension Φ 60x135mm
Body Color Matte white/black




**LED COB Track Light
15W**

Watts 15W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.6
Dimension Φ 75x115mm
Body Color Matte white/black




**LED COB Track Light
20W**

Watts 20W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.9
Dimension Φ 70x150mm
Body Color Matte white/black




**LED COB Track Light
20W**

Watts 20W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.9
Dimension Φ 90x135mm
Body Color Matte white/black




**LED COB Track Light
30W**

Watts 30W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.9
Dimension Φ 80x160mm
Body Color Matte white/black




**LED COB Track Light
30W**

Watts 30W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.9
Dimension Φ 105x150mm
Body Color Matte white/black




**LED COB Track Light
10W**

Watts 10W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.6
Dimension Φ 60x100mm
Body Color Matte white/black




**LED COB Track Light
35W**

Watts 35W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.9
Dimension Φ 105x150mm
Body Color Matte white/black





**LED COB Track Light
5W/7W**

Watts 5W/7W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.6
Dimension Φ 40x100mm
Body Color Matte white/black




**LED COB Track Light
10W**

Watts 10W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.6
Dimension Φ 50x120mm
Body Color Matte white/black




**LED COB Track Light
10W**

Watts 10W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.9
Dimension Φ 117x87mm
Body Color Matte white/black




**LED COB Track Light
20W**

Watts 20W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 24°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.9
Dimension Φ 230x88mm
Body Color Matte white/black




**LED COB Track Light
30W**

Watts 30W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.9
Dimension Φ 100x150mm
Body Color Matte white/black




**LED COB Track Light
30W**

Watts 30W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.9
Dimension Φ 77x150mm
Body Color Matte white/black




**LED COB Track Light
30W**

Watts 30W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.9
Dimension Φ 100x160mm
Body Color Matte white/black



**LED COB Track Light
40W**

Watts 40W
Input Voltage AC : 200-240V
Flux 100-110lm/W
Beam Angle 15° /24° /36°

White Light 5000K
Neutral White 4500K
Warm White 3000K

CRI Ra>90
PF 0.9
Dimension Φ 108x155mm
Body Color Matte white/black

