

EDISUN

EDISUN
www.edisunlighting.com



LED FLOOD LIGHT

PRODUCT FEATURES

- Available from 10w to 1000w
- Premium quality aluminium alloy body
- Fascia glass sealed with silicone rubber ensuring superior waterproof/airtight performance
- High power led chip
- Built in constant current driver
- Built in power supply, no external ballast required




LED FLOOD LIGHT PRO
090 ED/FW SERIES

86% saving
 Fluctuation Proof
 0.95PF
 120°
 IP65



Product code FL09030
Power 30W
Voltage 85-440V
Flux 3000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black




LED FLOOD LIGHT PRO
090 ED/FW SERIES

86% saving
 Fluctuation Proof
 0.95PF
 120°
 IP65




Product code FL09030
Power 30W
Voltage 85-440V
Flux 3000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black




Product code FL09050
Power 50W
Voltage 85-440V
Flux 5000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black




Product code FL09050
Power 50W
Voltage 85-440V
Flux 5000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black




Product code FL090100
Power 100W
Voltage 85-440V
Flux 10000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black




Product code FL090100
Power 100W
Voltage 85-440V
Flux 10000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black




Product code FL090150
Power 150W
Voltage 85-440V
Flux 15000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black




Product code FL090150
Power 150W
Voltage 85-440V
Flux 15000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black




Product code FL090200
Power 200W
Voltage 85-440V
Flux 20000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black



Product code FL090200
Power 200W
Voltage 85-440V
Flux 20000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black



PRO




LED FLOOD LIGHT PRO
089 ED/FW SERIES

86% saving
 Fluctuation Proof
 0.95PF
 120°
 IP65




Product code FL08930
Power 30W
Voltage 85-440V
Flux 3000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Grey




Product code FL08950
Power 50W
Voltage 85-440V
Flux 5000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Grey




Product code FL089100
Power 100W
Voltage 85-440V
Flux 10000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Grey




Product code FL089150
Power 150W
Voltage 85-440V
Flux 15000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Grey




Product code FL089200
Power 200W
Voltage 85-440V
Flux 20000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Grey



Product code FL089300
Power 300W
Voltage 85-440V
Flux 30000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Grey



PRO




LED FLOOD LIGHT PRO
088 ED/FW SERIES

86% saving
 Fluctuation Proof
 0.95PF
 120°
 IP65




Product code FL08830
Power 30W
Voltage 85-440V
Flux 3000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black




Product code FL08850
Power 50W
Voltage 85-440V
Flux 5000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black




Product code FL088100
Power 100W
Voltage 85-440V
Flux 10000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black




Product code FL088150
Power 150W
Voltage 85-440V
Flux 15000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black



Product code FL088200
Power 200W
Voltage 85-440V
Flux 20000lm

Beam Angle 120°
CRI Ra>80
PF >0.95
Body Color Black



Classic



LED FLOOD LIGHT CLASSIC




	Product code Power Voltage Flux	TG68 20W 85-265V 1800lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG68 50W 85-265V 4500lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG68 100W 85-265V 9000lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG68 200W 85-265V 18000lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG68 300W 85-265V 27000lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG68 500W 85-265V 45000lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	

ECO



LED FLOOD LIGHT ECO



	Product code Power Voltage Flux	TG41 10W 220-240V 900lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG41 30W 220-240V 2700lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG41 50W 220-240V 4500lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG41 70W 220-240V 6300lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG41 100W 220-240V 9000lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG41 150W 220-240V 13500lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG41 200W 220-240V 18000lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	




LED FLOOD LIGHT



	Product code Power Voltage Flux	TG85 10W 85-265V 900lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG85 30W 85-265V 2700lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG85 50W 85-265V 4500lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG85 70W 85-265V 6300lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG85 100W 85-265V 9000lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG85 150W 85-265V 13500lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	
	Product code Power Voltage Flux	TG85 200W 85-265V 18000lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black	




LED FLOOD LIGHT




	Product code Power Voltage Flux	FLRGB10 10W 100-240V 30lm · 70lm · 10lm/W	Beam Angle CRI IP Rating Body Color	110° RGB IP65 Black	
	Product code Power Voltage Flux	FLRGB30 30W 100-240V 30lm · 70lm · 10lm/W	Beam Angle CRI IP Rating Body Color	110° RGB IP65 Black	
	Product code Power Voltage Flux	FLRGB30 30W 100-240V 30lm · 70lm · 10lm/W	Beam Angle CRI IP Rating Body Color	110° RGB IP65 Black	
	Product code Power Voltage Flux	FLRGB10 50W 100-240V 30lm · 70lm · 10lm/W	Beam Angle CRI IP Rating Body Color	110° RGB IP65 Black	
	Product code Power Voltage Flux	FLRGB30 70W 100-240V 30lm · 70lm · 10lm/W	Beam Angle CRI IP Rating Body Color	110° RGB IP65 Black	
	Product code Power Voltage Flux	FLRGB50 100W 100-240V 30lm · 70lm · 10lm/W	Beam Angle CRI IP Rating Body Color	110° RGB IP65 Black	




LED SMD FLOODLIGHT
With PIR Sensor




Product code	FL20S	Beam Angle	120°
Power	20W	CRI	Ra>80
Voltage	100-265V	IP Rating	IP65
Flux	1600lm	Body Color	Black




Product code	FL30S	Beam Angle	120°
Power	30W	CRI	Ra>80
Voltage	100-265V	IP Rating	IP65
Flux	2400lm	Body Color	Black




Product code	FL50S	Beam Angle	120°
Power	50W	CRI	Ra>80
Voltage	100-265V	IP Rating	IP65
Flux	4000lm	Body Color	Black




LED SMD FLOODLIGHT
With Remote Control




Product code	FL06	Beam Angle	120°
Power	20W	CRI	Ra>80
Voltage	220-240V	IP Rating	IP65
Flux	RGB	Body Color	Black




Product code	FL06	Beam Angle	120°
Power	50W	CRI	Ra>80
Voltage	220-240V	IP Rating	IP65
Flux	RGB	Body Color	Black




Product code	FL06	Beam Angle	120°
Power	100W	CRI	Ra>80
Voltage	220-240V	IP Rating	IP65
Flux	RGB	Body Color	Black




Product code	FL06	Beam Angle	120°
Power	200W	CRI	Ra>80
Voltage	220-240V	IP Rating	IP65
Flux	RGB	Body Color	Black



Product code	FL06	Beam Angle	120°
Power	300W	CRI	Ra>80
Voltage	220-240V	IP Rating	IP65
Flux	RGB	Body Color	Black



Product code	FL06	Beam Angle	120°
Power	400W	CRI	Ra>80
Voltage	220-240V	IP Rating	IP65
Flux	RGB	Body Color	Black




HOT




LED SMD FLOODLIGHT

With Solar Panels and Remote Control



Product code FLS50
EQ.Watts 50W
Battery 3.2V / 6000mA
Solar Panel 10W/6V
Panel Size 350x235x18mm

Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Black




HOT




LED SMD FLOODLIGHT

With Solar Panels and Remote Control




Product code FLS50
EQ.Watts 50W
Battery 3.2V / 6000mA
Solar Panel 10W/6V
Panel Size 350x235x18mm

Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Black




Product code FLS100
EQ.Watts 100W
Battery 3.2V / 15000mA
Solar Panel 15W/6V
Panel Size 400x350x18mm

Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Black




Product code FLS100
EQ.Watts 100W
Battery 3.2V / 15000mA
Solar Panel 15W/6V
Panel Size 400x350x18mm

Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Black




Product code FLS200
EQ.Watts 200W
Battery 3.2V / 20000mA
Solar Panel 20W/6V
Panel Size 460x350x18mm

Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Black




Product code FLS200
EQ.Watts 200W
Battery 3.2V / 20000mA
Solar Panel 20W/6V
Panel Size 460x350x18mm

Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Black




Product code FLS300
EQ.Watts 300W
Battery 3.2V / 30000mA
Solar Panel 30W/6V
Panel Size 630x250x25mm

Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Black



Product code FLS300
EQ.Watts 300W
Battery 3.2V / 30000mA
Solar Panel 30W/6V
Panel Size 630x250x25mm


Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Black




NEW




LED SMD FLOODLIGHT
On Stand - Foldable




10W Battery(mA)	Product code	RWL04	Beam Angle	120°
	Watts	10W	CRI	Ra>80
	Input Voltage	AC : 200-240V	IP Rating	IP65
	Battery	2200mA	Body Color	Yellow




20W Battery(mA)	Product code	RWL04	Beam Angle	120°
	Watts	20W	CRI	Ra>80
	Input Voltage	AC : 200-240V	IP Rating	IP65
	Battery	4400mA	Body Color	Yellow



30W Battery(mA)	Product code	RWL04	Beam Angle	120°
	Watts	30W	CRI	Ra>80
	Input Voltage	AC : 200-240V	IP Rating	IP65
	Battery	8800mA	Body Color	Yellow




50W Battery(mA)	Product code	RWL04	Beam Angle	120°
	Watts	50W	CRI	Ra>80
	Input Voltage	AC : 200-240V	IP Rating	IP65
	Battery	17600mA	Body Color	Yellow



NEW



Product code	RWL04	Beam Angle	120°
Watts	50W	CRI	Ra>80
Solar Panel	2W 6V	IP Rating	IP44
Battery	3.7V 6600mA	Body Color	Yellow+Black




PORTABLE LED SMD FLOODLIGHT 50W
Rechargeable + Battery

White Light 6000K

NEW



Product code	RWL04	Beam Angle	120°
Watts	100W	CRI	Ra>80
Solar Panel	5W 6V	IP Rating	IP44
Battery	3.7V 15000mA	Body Color	Yellow+Black



PORTABLE LED SMD FLOODLIGHT 100W
Rechargeable + Battery

White Light 6000K